10

## Claims

What is claimed is:

- 1. A method of attacking a screening algorithm, the method comprising the steps of:
- transforming content to manipulate a watermark within the content;

subjecting the content to a screening algorithm; and transforming the content to reverse any manipulation performed on a watermark in the content during the first transforming step.

- 2. The method of attacking a screening algorithm as recited in claim 1 further comprising the step of adding a pseudo-random sequence to the content during the first transforming step.
- 3. The method of attacking a screening algorithm as recited in claim 2 further comprising the step of removing the pseudorandom sequence added to the content during the first transforming step.
- 4. The method of attacking a screening algorithm as recited in claim 1 further comprising the step of removing a watermark from the content.
- 5. The method of attacking a screening algorithm as recited in claim 1 wherein the screening algorithm comprises a Secure Digital Music Initiative screening algorithm.
- 6. The method of attacking a screening algorithm as recited in claim 1 wherein the screening algorithm screens the content for a watermark.

algorithm

7. The method of attacking a screening algorithm as recited in claim 1 further comprising the step of admitting the content to a secure domain after subjecting the content to the screening algorithm, when no watermark is detected.

5

8. The method of attacking a screening algorithm as recited in claim 1 further comprising the step of manipulating the watermark by reversing all sections of the content.

10

9. The method of attacking a screening algorithm as recited in claim 1 wherein the first and second transforming steps are performed in the same transformation device.

apparatus for attacking a screening

10. A comprising:

a processing device having a processor coupled to a memory, the processing device being operative to transform content to be downloaded to manipulate a watermark embedded in the content, wherein the content is subjected to a screening algorithm, the memory storing the content when the content passes through the screening algorithm.

25

11. The apparatus for attacking a screening algorithm as recited in claim 10 wherein the processing device removes the watermark embedded in the content.

12. The apparatus for attacking a screening algorithm as recited in claim 10 wherein the processing device comprises a digital signal processor.

30

10

- 13. An article of manufacture for attacking a screening algorithm, the article comprising a machine readable medium containing one or more programs which when executed implement the steps of:
- transforming content to manipulate a watermark within the content;

subjecting the content to a screening algorithm; and transforming the content to reverse any manipulation performed on a watermark in the content during the first transforming step.

- 14. The article of manufacture for attacking a screening algorithm as recited in claim 13 further comprising the step of adding a pseudo-random sequence to the content during the first transforming step.
- 15. The article of manufacture for attacking a screening algorithm as recited in claim 13 wherein the first and second transforming steps are performed in respective first and second transformation devices.
- 16. The article of manufacture for attacking a screening algorithm as recited in claim 13 further comprising the step of removing a watermark from the content.
  - 17. The article of manufacture for attacking a screening algorithm as recited in claim 13 wherein the screening algorithm screens the content for a watermark.

5

- 18. The article of manufacture for attacking a screening algorithm as recited in claim 13 further comprising the step of admitting the content to a secure domain after subjecting the content to the screening algorithm, when no watermark is detected.
- 19. The article of manufacture for attacking a screening algorithm as recited in claim 13 further comprising the step of writing downloaded content to a user device.
- 20. The article of manufacture for attacking a screening algorithm as recited in claim 13 further comprising the step of swapping the most and least significant bytes in a 16-bit sample.